

To: Hillenbrand, John[Hillenbrand.John@epa.gov]; Dunkelman, Tom[Dunkelman.Tom@epa.gov]; Serda, Sophia[Serda.Sophia@epa.gov]
From: Salyer, Kathleen
Sent: Thur 9/18/2014 12:13:04 AM
Subject: FW: Exide Soil Sampling
[Exide WorkPlan-Approval-pdf \(1\).pdf](#)
[Exide WorkPlan Addendum-pdf.pdf](#)

From: Nieto, Edward@DTSC [mailto:Edward.Nieto@dtsc.ca.gov]
Sent: Wednesday, September 17, 2014 1:57 PM
To: Salyer, Kathleen
Cc: Ruttan, Peter@DTSC; Rizgar.Ghazi_dtsc.ca.gov
Subject: Exide Soil Sampling

Kathleen,

Attached are documents associated with the Residential soil sampling occurring near Exide. These documents shows that Exide contractor will be measuring lead concentration using USEPA USEPA

Guidance “Superfund Lead Contaminated Residential Sites Handbook” (OSWER 9285.7-50, August 2003) in the expanded areas. The area that is to be samples are identified on the last two page of the workplan.

Please share with your staff that requested the information – I believe it was John H.

Thanks,

Ed Nieto